


Battery Trim Large 1L

■ 04.6001.14 - Matt Black

Recessed 12V lamp luminaire. Remote transformer not included.



Main specifications

Number of heads	1
Lamp category	LED retrofit
Mountings	Ceiling recessed
Environment	Indoor dry location

Optical



Lamp type	QR-111
Light distribution	Symmetric
Optical type	Spot
Beam angle (°)	8

Electrical


Frequency (Hz)	50/60	Emergency	Without
Lamp holder	G53	Insulation class	III
Dimmable	Yes		
Driver	Remote excluded		
Driver type	Non Dimmable		

Physical

Color	Matt Black
Orientation	Adjustable
Recessed depth (mm)	128
Weight (kg)	1.22
Rotation (°)	40



Battery Trim Large 1L



Daylight filter
08.8027.20.DL



Blue filter
08.8027.20.AO



Honeycomb
08.8029.20



Neodimium
08.8027.20.ND




U.V. filter
08.8027.20.UV




Honeycomb
08.8029.08




Amber filter
08.8027.20.AM



Elliptical light distribution lens
08.8025.20



Elliptical light distribution lens
08.8025.14




Cold light filter
08.8027.14.CL



Honeycomb
08.8029.14



Hot Light
08.8027.20.HL



Elliptical light distribution lens
08.8025.08



I.R. filter
08.8027.08.IR




Screening cylinder
08.8030.20




Blue filter
08.8027.08.AO



Flood lens made in press glass
08.8180.14



Sky blue filter
08.8027.14.AC



Screening cylinder
08.8030.08




U.V. filter
08.8027.14.UV



Flood lens made in press glass
08.8180.20




U.V. filter
08.8027.08.UV



Screening cylinder
08.8030.14



Hot Light
08.8027.08.HL




Cold light filter
08.8027.20.CL



Red filter
08.8027.14.RO



Daylight filter
08.8027.08.DL



Neodimium
08.8027.08.ND

Neodimium
08.8027.14.ND

Daylight filter
08.8027.14.DL



I.R. filter
08.8027.20.IR




Flood lens made in press glass
08.8180.08




Red filter
08.8027.20.RO




Hot Light
08.8027.14.HL



Sky blue filter
08.8027.20.AC




Red filter
08.8027.08.RO




Sky blue filter
08.8027.08.AC



Amber filter
08.8027.08.AM



Cold light filter
08.8027.08.CL



Amber filter
08.8027.14.AM



Blue filter
08.8027.14.AO



I.R. filter
08.8027.14.IR