

03.3505.14 - Matt Black


Recessed 12V lamp luminaire. Remote transformer not included.

Main specifications

Number of heads	1	Mountings Environment	Ceiling recessed
Lamp category	LED retrofit		Indoor dry location
CCT (K)	3000K		
CRI	100		
Net lumen (lm)	460		

Optical

Lighting type	Direct
Lamp type	QR-CBC 51
Light distribution	Symmetric
Optical type	Spot



Beam Angle: 29°

h(m)	E(lx)	D(m)
1	2522	0.27
2	631	0.55
3	280	0.82
4	158	1.09
5	101	1.37

Luminous flux luminaire
801 lm


Electrical

Frequency (Hz)	50/60	Emergency	Without
Lamp holder	GX5.3	Insulation class	III
Dimmable	No		
Driver	Remote excluded		
Driver type	Electronic 12V		

Physical

Color	Matt Black	Rotation (°)	355
Orientation	Adjustable		
Recessed depth (mm)	120		
Weight (kg)	0.31		
Tilt (°)	20		




Compass Adjustable Ø 90



Colored filters
08.8042.DL

Colored filters
08.8042.69



Colored filters
08.8042.98.OD



Colored filters
08.8042.64.OD

Colored filters
08.8042.ND

Colored filters
08.8042.CL




Colored filters
08.8042.66.OD

Colored filters
08.8042.68

Colored filters
08.8042.67.OD



Elliptical light distribution lens
08.8041.68



Colored filters
08.8042.65.OD