

Compass Adjustable Ø90

■ 03.3505.02 - Grey

Recessed 12V halogen lamp luminaire. Remote transformer not included.


Recessed 12V halogen lamp luminaire. Remote transformer not included.

Main specifications

Number of heads	1	Net lumen (lm)	460
Lamp category	Halogen	Mountings	Ceiling recessed
Power (W)	50W Max.	Environment	Indoor
CCT (K)	3000K		
CRI	100		

Optical

Lighting type	Direct
Lamp type	QR-CBC 51
Light distribution	Symmetric
Optical type	Spot



Beam Angle: 29°

h(m) E(lx) D(m)

1 2522 0.27

2 631 0.55

3 280 0.82

4 158 1.09

5 101 1.37

Luminous flux luminaire
801 lm


Electrical

Frequency (Hz)	50/60	Emergency	Without
Lamp holder	GX5.3	Insulation class	III
Dimmable	No		
Driver	Remote		
Driver type	Electronic		

Physical

Color	Grey	Rotation (°)	355
Orientation	Adjustable		
Recessed depth (mm)	120		
Weight (kg)	0.31		
Tilt (°)	20		


Certification / Marking




Compass Adjustable Ø90




Elliptical light distribution lens
08.8041.68




Colored filters
08.8042.64.OD




Colored filters
08.8042.65.OD



Colored filters
08.8042.66.OD



Colored filters
08.8042.67.OD




Colored filters
08.8042.68





Colored filters
08.8042.69



Colored filters
08.8042.98.OD



Colored filters
08.8042.CL



Colored filters
08.8042.DL

Colored filters
08.8042.ND