

## Compass Adjustable Ø90

■ 03.3506.02 - Grey

Recessed luminaire with main voltage source.

Recessed luminaire with main voltage source.

### Main specifications

Number of heads	1
Lamp category	Halogen
Power (W)	50W Max.
Mountings	Ceiling recessed
Environment	Indoor

### Optical

Lighting type	Direct
Lamp type	PAR 16
Light distribution	Symmetric

### Electrical

Frequency (Hz)	50/60
Lamp holder	GU10
Emergency	Without
Insulation class	II


### Physical

Color	Grey	Rotation (°)	355
Orientation	Adjustable		
Recessed depth (mm)	145		
Weight (kg)	0.34		
Tilt (°)	20		

### Note

Light fixture with screen angle greater than 25°, as per CIBSE LG3 (L<200 cd/m<sup>2</sup>).

### Certification / Marking




## Compass Adjustable Ø90




---

Elliptical light distribution lens  
08.8041.68




---

Colored filters  
08.8042.64.OD




---

Colored filters  
08.8042.65.OD




---

Colored filters  
08.8042.66.OD



---

Colored filters  
08.8042.67.OD



---

Colored filters  
08.8042.68




---

Colored filters  
08.8042.69





---

Colored filters  
08.8042.98.OD



---

Colored filters  
08.8042.CL



---

Colored filters  
08.8042.DL

---

Colored filters  
08.8042.ND