





# In-Finity 100 Suspension Down Flat Corner 3000K General Lighting Dali

## ■ N10DFC3G14BDA - Black


LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

## Main specifications

Number of heads	1	Net lumen (lm)	3111
Lamp category	LED	Mountings	Suspension
Power (W)	25.5W/m	Environment	Indoor dry location
CCT (K)	3000K		
CRI	80		

#### Optical

Lighting type Direct LED type Top LED Light distribution Symmetric Optical type Diffused light Beam angle (°) 103 Beam angle C90-270 (°) 107



Insulation class

Beam Angle: 103° h(m) = E(Ix)D(m) 1175 2.54 5.07 3 131 7.61 4 73 10.14 47 12.68



Electrical	
Frequency (Hz)	

Dimmable Yes Integrated Driver Dimmable DALI Driver type

50/60

**Emergency** Without

### **Physical**

Color Black Orientation Fixed Weight (kg) 8.20

#### Note

 $Opal\ Diffuser:\ Diffuse,\ glare\ free\ and\ uniform\ lighting\ throughout\ the\ room.\ /\ Emergency:\ Emergency\ Module$  $available\ in\ all\ versions, length\ 1405\ mm.\ In\ normal\ use, it\ uses\ the\ same\ power\ consumption\ as\ the\ standard\ In-power\ power\ powe$ Flnity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps.

# In-Finity 100 Suspension Down Flat Corner 3000K General Lighting Dali





Metal End Cap. Recessed No Trim / Surface / Suspension Down. 100 mm (Colour Black) 08.9054.NS

500 mm opal diffuser. Diffuse, glare free and uniform lighting throughout the room 08.0111.00

Suspension kit 08.0030



Metal cover. Surface / Suspension Down. 100 mm 08.9054.06



Power supply rose. Dali 08.0031.00.DA



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 100 mm (Colour Anodized Grey) 08.9054.02



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 100 mm (Colour White)

