



In-Finity 100 Suspension Up & Down 3000K Micro-Prismatic Diffuser Dali

N10U253U30BDA - White


LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit included.

Main specifications

Number of heads	1	Net lumen (lm)	8902
Lamp category	LED	Mountings	Suspension
Power (W)	38.5W/m	Environment	Indoor dry location
CCT (K)	3000K		
CRI	80		

Optical

Lighting type Indirect, Direct LED type Top LED Light distribution Symmetric Optical type Diffused light Beam angle (°) 73 Beam angle C90-270 (°) 81



Beam	73°	
h(m)	E(lx)	D(m)
1	3776	1.47
2	944	2.95
3	420	4.42
4	236	5.90
5	151	7.37

El	ectrical

Frequency (Hz)	50/60	Insulation clas
Dimmable	Yes	
Driver	Integrated	
Driver type	Dimmable DALL	

Emergency Without

Physical

Color	White
Orientation	Fixed
Weight (kg)	18.80
Length (mm)	2530

Note

 $Micro-Prismatic \ Diffuser: Highly \ efficient \ multilayer \ diffuser \ that, thanks \ to \ its \ unique \ micro-prismatic \ texture,$ provides a glare free UGR<19 light beam. / Emergency: Emergency Module available in all versions, length 1405 mm. In normal use, it uses the same power consumption as the standard In-Flnity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps.

In-Finity 100 Suspension Up & Down 3000K Micro-Prismatic Diffuser Dali



Metal cover. Suspension Up & Down. 100 mm (Colour Anodized Grey) 08.9058.02 500 mm micro-prismatic diffuser. Highly efficient multilayer diffuser that, thanks to its unique microprismatic texture, provides a glare free UGR<19 light beam 08.0114.00 Metal cover. Suspension Up & Down. 100 mm 08.9058.06



Metal cover. Suspension Up & Down. 100 mm (Colour White) 08.9058.40



Suspension kit 08.0030



Power supply rose. Dali 08.0031.00.DA



Metal cover. Suspension Up & Down. 100 mm (Colour Black)

