



# In-Finity 35 Suspension Down 3000K Micro-Prismatic Diffuser

### ■ N35D053U14B - Black

LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

## Main specifications

Number of heads	1
Lamp category	LED
Power (W)	13W
CCT (K)	3000K
CRI	80


Net lumen (lm) Mountings Environment

Suspension Indoor dry location




## Optical

Direct
Top LED Symmetric
Diffused light
76
64



Luminous flux luminaire 511 lm

Beam	75	
h(m)	E( <b>l</b> x)	D(m
1	331	1.25
2	83	2.50
3	37	3.76
4	21	5.01
5	13	6.26



83



#### Electrical

Frequency (Hz)	50/60	Emergency	Without
Voltage (V)	220.00	Insulation class	I
Dimmable	No		
Driver	Integrated		

Non Dimmable

## Physical


Driver type

Black
Fixed
1.28
565

## Note

 $Micro-Prismatic \ Diffuser: Highly \ efficient \ multilayer \ diffuser \ that, thanks \ to \ its \ unique \ micro-prismatic \ texture,$ provides a glare free UGR<19 light beam. / Emergency: Emergency Module available in all versions, length 1405 mm. In normal use, it uses the same power consumption as the standard In-Flnity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps.

## In-Finity 35 Suspension Down 3000K Micro-Prismatic Diffuser



Suspension kit 08.0030

500 mm micro-prismatic diffuser. Highly efficient multilayer diffuser that, thanks to its unique microprismatic texture, provides a glare free UGR<19 light beam 08.0112.00

Metal End Cap. Recessed No Trim / Surface / Suspension Down. 35 mm (Colour White) 08.9050.40



Power supply rose 08.0031.00



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 35 mm (Colour Anodized Grey) 08.9050.02



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 35 mm (Colour Black) 08.9050.NS



Metal cover. Surface / Suspension

