

LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

#### Main specifications

Number of heads LED Lamp category Power (W) 16.5W 3000K CCT (K) CRI 80

Net lumen (lm) Mountings Environment

Suspension Indoor dry location






[]]8



Lighting type	Direct
LED type	Top LED
Light distribution	Symmetric
Optical type	Diffused light
Beam angle (°)	76
Beam angle C90-270 (°)	64
=	



Luminous flux luminaire 767 lm

Beam Angle:		75°
h(m)	E( <b>l</b> x)	D(m
1	497	1.25
2	124	2.50
3	55	3.76
4	31	5.01
5	20	6.26

#### **Electrical**

Optical

Frequency (Hz) 50/60 **Emergency** Without 220.00 Voltage (V) Insulation class Dimmable No Driver Integrated

Non Dimmable

### **Physical**

Driver type

Color Anodized Grey Orientation Fixed Weight (kg) 1.92 Length (mm) 845

## Note

Micro-Prismatic Diffuser: Highly efficient multilayer diffuser that, thanks to its unique micro-prismatic texture, provides a glare free UGR<19 light beam. / Emergency: Emergency Module available in all versions, length 1405 mm. In normal use, it uses the same power consumption as the standard In-Flnity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps.

# In-Finity 35 Suspension Down 3000K Micro-Prismatic Diffuser



500 mm micro-prismatic diffuser. Highly efficient multilayer diffuser that, thanks to its unique microprismatic texture, provides a glare free UGR<19 light beam

08.0112.00



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 35 mm (Colour White) 08.9050.40



Power supply rose 08.0031.00



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 35 mm (Colour Anodized Grey) 08.9050.02



Suspension kit 08.0030



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 35 mm (Colour Black) 08.9050.NS



Metal cover. Surface / Suspension

