



## In-Finity 70 Suspension Down 3000K Micro-Prismatic Diffuser N70D053U02B - Anodized Grey

LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.


### Main specifications

Lamp category	LED
Power (W)	23.1W/m
CCT (K)	3000K
CRI	80
Net lumen (lm)	755

Mountings Suspension Environment Indoor dry location



Lighting type	Direct
LED type	Top LED
Light distribution	Symmetric
Optical type	Diffused light
Beam angle (°)	67
Beam angle C90-270 (°)	76



h(m) E(lx)D(m) 490 1.33 2 123 2.66 3.99 3 54 4 31 5.32 20 6.65

Beam Angle:

67°

Luminous flux luminaire 755 lm

Insulation class

	lectrical
-	I ACT PICA
_	i <del>c</del> cii icai

Frequency (HZ)	50/60
Dimmable	No
Driver	Integrated
Driver type	Non Dimmable
Emergency	Without

## Physical

Color	Anodized Grey
Orientation	Fixed
Weight (kg)	3.60
Length (mm)	565


# EHE CE RETILAP

#### Note

 ${\bf Micro-Prismatic\ Diffuser:\ Highly\ efficient\ multilayer\ diffuser\ that,\ thanks\ to\ its\ unique\ micro-prismatic\ texture,}$ provides a glare free UGR<19 light beam. / Emergency: Emergency Module available in all versions, length 1405 mm. In normal use, it uses the same power consumption as the standard In-Flnity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps.

### In-Finity 70 Suspension Down 3000K Micro-Prismatic Diffuser







Metal cover. Surface / Suspension Down. 70 mm 08.9052.06



Metal End Cap. Recessed No Trim / Surface / Suspension Down. 70 mm (Colour White) 08.9052.40







Suspension kit 08.0030

500 mm micro-prismatic diffuser. Highly efficient multilayer diffuser that, thanks to its unique microprismatic texture, provides a glare free UGR<19 light beam 08.0113.00

Metal End Cap. Recessed No Trim / Surface / Suspension Down. 70 mm (Colour Anodized Grey) 08.9052.02



Metal End Cap. Recessed No Trim /

(Colour Black)				
08.9052.NS				
ttns://www.flos.com/professional-space/ar	ahitaatural/araduata/ia fiaitu	70 30001	nioro priomatio diffusor	www.flos.com - info@flos.co