





In-Finity 70 Suspension Down 3000K Micro-Prismatic Diffuser N70D053U30B - White

 ${\sf LED}\ modular\ system\ for\ suspended\ installation, including\ {\sf LED}\ luminaires,\ aluminum\ installation\ profile,\ and\ profile,\ and\ profile,\ and\ profile,\ profil$ diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

Main specifications

Lamp category	LED
Power (W)	23.1W/m
CCT (K)	3000K
CRI	80
Net lumen (lm)	755

Mountings Environment

Suspension Indoor dry location






% 03	F	I P 20	CE	RETILAP	GWT 850°

Optical Lig

Lighting type	Direct
LED type	Top LED
Light distribution	Symmetric
Optical type	Diffused light
Beam angle (°)	67
Beam angle C90-270 (°)	76



Luminous flux luminaire 755 lm

Beam Angle:		67°
h(m)	E(l x)	D(m)
1	490	1.33
2	123	2.66
3	54	3.99
4	31	5.32
5	20	6 65

Electrical

Frequency (Hz)	50/60	Insulation class
Dimmable	No	
Driver	Integrated	
Driver type	Non Dimmable	
Emergency	Without	

Physical

White
Fixed
3.60
565

Note

Micro-Prismatic Diffuser: Highly efficient multilayer diffuser that, thanks to its unique micro-prismatic texture, provides a glare free UGR<19 light beam. / Emergency: Emergency Module available in all versions, length 1405 mm. In normal use, it uses the same power consumption as the standard In-Flnity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps.

In-Finity 70 Suspension Down 3000K Micro-Prismatic Diffuser







Power supply rose 08.0031.00

500 mm micro-prismatic diffuser. Highly efficient multilayer diffuser that, thanks to its unique microprismatic texture, provides a glare free UGR<19 light beam 08.0113.00 Metal End Cap. Recessed No Trim / Surface / Suspension Down. 70 mm (Colour White) 08.9052.40



FLOS

Metal cover. Surface / Suspension Down. 70 mm 08.9052.06 Suspension kit 08.0030

Metal End Cap. Recessed No Trim / Surface / Suspension Down. 70 mm (Colour Black) 08.9052.NS



Metal End Cap. Recessed No Trim /

Colour Anodized Grey) 8.9052.02		