

Moonline Perimeter Profile 1000 mm

06.1115.00 - Primer

Perimeter profile made of extruded aluminium to recess into plasterboard walls/ceilings. It includes magnetic track to directly install LED lighting modules.

Main specifications

Mountings	Recessed
Environment	Indoor

Electrical


Voltage (V)	24.00
Driver	Remote
Driver type	Electronic
Emergency	Without

Physical

Color	Primer
Recessed depth (mm)	107
Weight (kg)	6.00
Length (mm)	1005

Note


Can only be installed in 12.5 mm thick plaster-board.




Moonline Perimeter Profile 1000 mm




LED power supply source for remote installation in 24V/240W electric control panel. 100/240V 60.8268




Moonline Perimeter Profile. Vertical Corner 06.1130.00




Moonline Perimeter Profile. Vertical Corner 06.1130.40



Moonline Perimeter Profile. Inner Corner 06.1131.00




Moonline Perimeter Profile. Inner Corner 06.1131.40



Moonline Perimeter Profile. Outer Corner 06.1132.00



Moonline Perimeter Profile. Outer Corner 06.1132.40



Moonline. Connection Cable 1 m 06.1140.00



Moonline. Accessory Endcap 08.8914.00



Moonline. Accessory Endcap
08.8914.40