

Moonline Perimeter Profile 3000 mm

06.1125.40 - White

Perimeter profile made of extruded aluminium to recess into plasterboard walls/ceilings. It includes magnetic track to directly install LED lighting modules.

Main specifications

Mountings	Recessed
Environment	Indoor dry location

Electrical

Voltage (V)	24.00
Driver	Remote excluded
Driver type	Non Dimmable
Emergency	Without

Physical

Color	White
Recessed depth (mm)	107
Weight (kg)	18.00
Length (mm)	3015

Note

Can only be installed in 12.5 mm thick plaster-board.

IP 20 · RETILAP · GWT 850°

Moonline Perimeter Profile 3000 mm



Moonline Perimeter Profile. Vertical Corner
06.1130.00



Moonline Perimeter Profile. Vertical Corner
06.1130.40

Moonline. Accessory Endcap
08.8914.40

Moonline Perimeter Profile. Outer Corner
06.1132.40



Moonline Perimeter Profile. Outer Corner
06.1132.00



Moonline. Accessory Endcap
08.8914.00



Moonline Perimeter Profile. Inner Corner
06.1131.00



Moonline Perimeter Profile. Inner Corner
06.1131.40



Moonline. Connection Cable 1 m
06.1140.00

LED power supply source for remote installation in 24V/240W electric control panel. 100/240V
60.8268