

## Moonline Perimeter Profile 3000 mm

06.1125.40 - White

Perimeter profile made of extruded aluminium to recess into plasterboard walls/ceilings. It includes magnetic track to directly install LED lighting modules.

### Main specifications

<b>Mountings</b>	Recessed
<b>Environment</b>	Indoor

### Electrical




<b>Voltage (V)</b>	24.00
<b>Driver</b>	Remote
<b>Driver type</b>	Electronic
<b>Emergency</b>	Without

### Physical

<b>Color</b>	White
<b>Recessed depth (mm)</b>	107
<b>Weight (kg)</b>	18.00
<b>Length (mm)</b>	3015

### Note


Can only be installed in 12.5 mm thick plaster-board.




## Moonline Perimeter Profile 3000 mm




LED power supply source for remote installation in 24V/240W electric control panel. 100/240V 60.8268




Moonline Perimeter Profile. Vertical Corner 06.1130.00




Moonline Perimeter Profile. Vertical Corner 06.1130.40



Moonline Perimeter Profile. Inner Corner 06.1131.00




Moonline Perimeter Profile. Inner Corner 06.1131.40




Moonline Perimeter Profile. Outer Corner 06.1132.00



Moonline Perimeter Profile. Outer Corner 06.1132.40



Moonline. Connection Cable 1 m 06.1140.00



Moonline. Accessory Endcap 08.8914.00



---

Moonline. Accessory Endcap  
08.8914.40