



## Nano Spot

■ 03.2225.14 - Black


Accent lighting LED module to be installed in The Running Magnet System. Built-in DC/DC electronic voltage converter.

### Main specifications

<b>Number of heads</b>	1	<b>Net lumen (lm)</b>	196
<b>Lamp category</b>	LED	<b>Mountings</b>	Track
<b>Power (W)</b>	3W	<b>Environment</b>	Indoor
<b>CCT (K)</b>	2700K		
<b>CRI</b>	90		

### Optical



<b>Lighting type</b>	Direct
<b>LED type</b>	Power LED
<b>Light distribution</b>	Symmetric
<b>Optical type</b>	Medium
<b>Beam angle (°)</b>	30
<b>Beam angle C90-270 (°)</b>	30



Beam Angle: 30°

h(m)	E(lx)	D(m)
1	585	0.54
2	146	1.09
3	65	1.63
4	37	2.17
5	23	2.71


Luminous flux luminaire  
196 lm



### Electrical

<b>Dimmable</b>	Yes
<b>Driver</b>	remote excluded
<b>Driver type</b>	Electronic, Electronic dimmable CASAMBI, Electronic dimmable 1- 10V, Electronic dimmable DALI
<b>Emergency</b>	Without
<b>Insulation class</b>	III

### Certification / Marking



### Physical

<b>Color</b>	Black	<b>Spot diameter (mm)</b>	24
<b>Orientation</b>	Adjustable	<b>Length (mm)</b>	41
<b>Weight (kg)</b>	0.03		
<b>Tilt (°)</b>	90		
<b>Rotation (°)</b>	267		

# Nano Spot



---

Honeycomb  
08.0190.14