

## Pure Downlight

■ 09.1636.02C - Grey


Recessed luminaire with LED light source. Remote electronic transformer 220/240V included.

### Main specifications

<b>Number of heads</b>	1	<b>Net lumen (lm)</b>	1108
<b>Lamp category</b>	LED	<b>Mountings</b>	Ceiling recessed
<b>Power (W)</b>	13.5W	<b>Environment</b>	Indoor
<b>CCT (K)</b>	3000K		
<b>CRI</b>	80		

### Optical

<b>LED type</b>	Phosphor LED
<b>Light distribution</b>	Symmetric
<b>Optical type</b>	Flood
<b>Beam angle (°)</b>	46
<b>Beam angle C90-270 (°)</b>	46



<b>Beam Angle:</b>	46°		
<b>h(m)</b>	<b>E(lx)</b>	<b>D(m)</b>	
1	1994	0.84	
2	499	1.68	
3	222	2.52	
4	125	3.36	
5	80	4.19	

Luminous flux luminaire  
1108 lm (EXTREME CUT OFF)

### Electrical

<b>Frequency (Hz)</b>	50/60	<b>Insulation class</b>	II
<b>Dimmable</b>	No		
<b>Driver</b>	Remote		
<b>Driver type</b>	Electronic		
<b>Emergency</b>	Without		


### Physical

<b>Color</b>	Grey	<b>Rotation (°)</b>	360
<b>Orientation</b>	Adjustable		
<b>Recessed depth (mm)</b>	138		
<b>Weight (kg)</b>	0.96		
<b>Tilt (°)</b>	60		

### Note

Installation frame must be ordered separately.

### Certification / Marking



# Pure Downlight



Flood lens  
08.8175.68



Installation Frame For Trim Grey  
08.8149.02




Installation Frame For Trim White  
08.8149.14




Installation Frame For Trim White  
08.8149.30




Installation Frame For No Trim  
08.8152.00




Blue filter  
08.8160.64.OD



Sky blue filter  
08.8160.65.OD



Amber filter  
08.8160.66.OD



Red filter  
08.8160.67.OD



---

I.R. filter  
08.8160.68




---

Hot Light  
08.8160.69




---

U.V. filter  
08.8160.98.OD




---

Cold light filter  
08.8160.CL



---

Daylight filter  
08.8160.DL



---

Neodimium  
08.8160.ND



---

Elliptical lens  
08.8163.68



---

Holding ring  
08.8166.14



---

Honeycomb  
08.8169.14



---

Pure 1 Pro external ring accessory  
08.8232.02

---

Pure 1 Pro external ring accessory  
08.8232.14

---

Pure 1 Pro external ring accessory  
08.8232.30