



Super Line Down

■ 03.9510.02 - Grey


LED luminaire for general lighting with a signature minimalist and compact design, to be installed on ceilings by means of suspension. Power source included in installation kits must be ordered separately.

Main specifications

Number of heads	1	CRI	90
Lamp category	LED	Net lumen (lm)	3571
Power (W)	38.6W	Mountings	Suspension
System power (W)	39	Environment	Indoor dry location
CCT (K)	3000K		

Optical



Lighting type	Direct
LED type	Top LED
Light distribution	Symmetric
Optical type	Diffused light
Beam angle (°)	76
Beam angle C90-270 (°)	82
Efficiency (lm/W)	91.56



Beam Angle: 76°

h(m)	E(lx)	D(m)
1	1948	1.57
2	487	3.13
3	216	4.70
4	122	6.27
5	78	7.84

Luminous flux luminaire
3571 lm



Electrical


Voltage (V)	37.20	Emergency	Without
Current (mA)	1050	Insulation class	III
Dimmable	Yes		
Driver	Remote		
Driver type	Non Dimmable, Dimmable DALI		
	1		

Physical

Color	Grey
Orientation	Fixed
Weight (kg)	1.45
Length (mm)	1500
Lifespan (L70 B10)	L80B50

Note


Cable 4,25 m



Super Line Down




Remote Power Supply Kit 60W. Non Dimmable
08.0524.14




Surface Kit 60W. Non Dimmable
08.0520.02




Remote Power Supply Kit 60W. Dali Version
08.0525.14



Recessed Kit 60W. Non Dimmable
08.0522.14




Recessed Kit 60W. Dali Version
08.0523.14




Recessed Kit 60W. Dali Version
08.0523.02




Remote Power Supply Kit 60W. Non Dimmable
08.0524.02




Surface Kit 60W. Dali Version
08.0521.02



Recessed Kit 60W. Non Dimmable
08.0522.02




Surface Kit 60W. Dali Version
08.0521.40




Recessed Kit 60W. Non Dimmable
08.0522.40



Remote Power Supply Kit 60W. Dali
Version
08.0525.02




Surface Kit 60W. Non Dimmable
08.0520.40




Surface Kit 60W. Non Dimmable
08.0520.14



Remote Power Supply Kit 60W. Dali
Version
08.0525.40



Surface Kit 60W. Dali Version
08.0521.14



Recessed Kit 60W. Dali Version
08.0523.40



Remote Power Supply Kit 60W. Non
Dimmable
08.0524.40