

Super Line Pro Down

New

03.9571.02 - Grey


LED luminaire for general lighting with a signature minimalist and compact design, to be installed on ceilings by means of suspension. Power source included in installation kits must be ordered separately, allowing the maximum brightness to be selected.

Main specifications

Number of heads	1	CRI	90
Lamp category	LED	Net lumen (lm)	3955
Power (W)	38.70W	Mountings	Suspension
System power (W)	39	Environment	Indoor dry location
CCT (K)	4000K		

Optical

Lighting type	Direct
LED type	Top LED
Light distribution	Symmetric
Optical type	Diffused light
Beam angle (°)	80
Beam angle C90-270 (°)	80
UGRL	19
Efficiency (lm/W)	101.41



Luminous flux luminaire
3801 lm

Beam Angle: 80°

	h(m)	E(lx)	D(m)
1	2275	1.68	
2	569	3.36	
3	253	5.04	
4	142	6.72	
5	91	8.40	

Electrical

Voltage (V)	37.20	Emergency	Without
Current (mA)	1050	Insulation class	III
Dimmable	Yes		
Driver	Remote		
Driver type	Non Dimmable, Dimmable DALI		
	1		

Physical

Color	Grey
Orientation	Fixed
Weight (kg)	1.45
Length (mm)	1500
Lifespan (L70 B10)	L80B50

Note

UGR<19 & cd/m2 @ 65°<3000 workplace optimised. Cable 4,25 m


Super Line Pro Down




Remote Power Supply Kit 60W. Non Dimmable
08.0524.02




Remote Power Supply Kit 60W. Dali Version
08.0525.02




Recessed Kit 60W. Non Dimmable
08.0522.02




Recessed Kit 60W. Dali Version
08.0523.02




Recessed Kit 60W. Non Dimmable
08.0522.40




Recessed Kit 60W. Dali Version
08.0523.40




Surface Kit 60W. Non Dimmable
08.0520.40



Surface Kit 60W. Dali Version
08.0521.40




Surface Kit 60W. Dali Version
08.0521.14



Recessed Kit 60W. Non Dimmable
08.0522.14




Remote Power Supply Kit 60W. Non
Dimmable
08.0524.40



Surface Kit 60W. Non Dimmable
08.0520.14




Remote Power Supply Kit 60W. Dali
Version
08.0525.40




Surface Kit 60W. Non Dimmable
08.0520.02



Remote Power Supply Kit 60W. Dali
Version
08.0525.14



Surface Kit 60W. Dali Version
08.0521.02



Recessed Kit 60W. Dali Version
08.0523.14



Remote Power Supply Kit 60W. Non
Dimmable
08.0524.14