

## The Tracking Magnet Surface/Suspension Profile 90° Mechanical Corner

■ 06.5015.14 - Black

Electromechanical profile for surface-mounting, available in lengths from 1m to 3m.

### Main specifications

Mountings	Surface and suspension
Environment	Indoor dry location

### Electrical


Voltage (V)	48
Emergency	Without

### Physical

Color	Black
Weight (kg)	0.14
Length (mm)	55

### Note

90° mechanical corner. To create electrical continuity, order with the flexible intermediate connector.




## The Tracking Magnet Surface/Suspension Profile 90° Mechanical Corner



Suspension rod with 1m rose. M6  
thread  
60.3014.11



Surface rose  
08.8883.14A



4m suspension steel cable  
08.8634.00



Suspension rod with 1m rose. M6  
thread  
60.3014.14



1 m suspension rod with ceiling rose  
with m6 thread  
60.3097.11



Recessed power supply rose  
08.8889.40



4-pole, 0.75 mm<sup>2</sup> section, 4-meter long,  
transparent power cable  
06.0157.00



Surface rose  
08.8883.40A



Recessed power supply rose  
08.8889.14




---

Ceiling fixing kit  
08.0616.00




---

Ceiling fixing kit  
08.0615.00




---

The Tracking Magnet  
Surface/Suspension Profile End Caps  
06.5017.14




---

The Tracking Magnet Profile  
Intermediate Connector  
Flexible/Electrical Corner  
08.0614.14




---

1 m suspension rod with ceiling rose  
with m6 thread  
60.3097.14