


Battery Trim Large 1L

■ 04.6001.08 - Quecksilber

Einbauleuchte für 12V Lampe. Separater Transformator nicht inbegriffen.



Hauptspezifikationen

Anzahl an Köpfen	1
Leuchtenkategorie	LED- Nachrüstung
Halterungen	Decke, eingebaut
Umgebung	Innenbeleuchtung

Optisch



Leuchtentyp	QR-111
Light distribution	Symmetrisch
Optiktyp	Strahler
Strahlungswinkel (°)	8

Elektrisch


Frequenz (Hz)	50/60	Notfall	Ohne
Lamp holder	G53	Isolationsklasse	III
Dimmbar	Yes		
Treiber	remote		
Treiber-Typ	Ausgeschlossen nicht dimmbarer		

Physikalisch

Farbe	Quecksilber
Ausrichtung	einstellbar
Einbautiefe (mm)	128
Gewicht (kg)	1.22
Drehung (°)	40



Battery Trim Large 1L



Cold light filter
08.8027.08.CL




Red filter
08.8027.14.RO



Screening cylinder
08.8030.08




Elliptical light distribution lens
08.8025.20



Daylight filter
08.8027.14.DL



U.V. filter
08.8027.20.UV



Sky blue filter
08.8027.14.AC



Hot Light
08.8027.20.HL



I.R. filter
08.8027.08.IR



Flood lens made in press glass
08.8180.14




Amber filter
08.8027.20.AM



U.V. filter
08.8027.14.UV



Screening cylinder
08.8030.14



Sky blue filter
08.8027.08.AC



Hot Light
08.8027.14.HL



Honeycomb
08.8029.08



Flood lens made in press glass
08.8180.08



Amber filter
08.8027.14.AM



I.R. filter
08.8027.20.IR



Neodimium
08.8027.08.ND



Blue filter
08.8027.20.AO




Screening cylinder
08.8030.20



Amber filter
08.8027.08.AM



I.R. filter
08.8027.14.IR



Honeycomb
08.8029.14



Flood lens made in press glass
08.8180.20




Elliptical light distribution lens
08.8025.08




Blue filter
08.8027.14.AO

Neodimium
08.8027.20.ND


Red filter
08.8027.08.RO



Cold light filter
08.8027.20.CL



Daylight filter
08.8027.08.DL



Blue filter
08.8027.08.AO




Neodimium
08.8027.14.ND



Honeycomb
08.8029.20



Elliptical light distribution lens
08.8025.14




Cold light filter
08.8027.14.CL



Red filter
08.8027.20.RO




U.V. filter
08.8027.08.UV



Daylight filter
08.8027.20.DL



Hot Light
08.8027.08.HL



Sky blue filter
08.8027.20.AC