

■ 03.9511.02 - Grau

Hauptspezifikationen

Optisch

Luminous flux lumineuse
3814 lm

Notfall	Ohne
Isolationsklasse	III


Farbe	Grau
Ausrichtung	fest
Gewicht (kg)	1.45
Länge (mm)	1500
Lebensdauer (L70 B10)	L80B50

Kabel 4,25 m


Super Line Down




Remote Power Supply Kit 60W. Non Dimmable
08.0524.02




Recessed Kit 60W. Non Dimmable
08.0522.14




Surface Kit 60W. Dali Version
08.0521.14




Surface Kit 60W. Dali Version
08.0521.40



Recessed Kit 60W. Non Dimmable
08.0522.40



Recessed Kit 60W. Dali Version
08.0523.14



Surface Kit 60W. Dali Version
08.0521.02



Remote Power Supply Kit 60W. Non Dimmable
08.0524.40




Remote Power Supply Kit 60W. Dali Version
08.0525.02



Remote Power Supply Kit 60W. Non Dimmable
08.0524.14




Remote Power Supply Kit 60W. Dali Version
08.0525.14




Surface Kit 60W. Non Dimmable
08.0520.14




Remote Power Supply Kit 60W. Dali Version
08.0525.40




Recessed Kit 60W. Dali Version
08.0523.40




Recessed Kit 60W. Non Dimmable
08.0522.02



Surface Kit 60W. Non Dimmable
08.0520.40



Surface Kit 60W. Non Dimmable
08.0520.02



Recessed Kit 60W. Dali Version
08.0523.02