

■ 03.9501.14 - Schwarz

Hauptspezifikationen

Optisch


Luminous flux lumineuse
5472 lm

Notfall	Ohne
Isolationsklasse	III

Farbe	Schwarz
Ausrichtung	fest
Gewicht (kg)	1.45
Länge (mm)	1500
Lebensdauer (L70 B10)	L80B50

Kabel 4,25 m


Super Line Up&Down Direct



Recessed Kit 60W. Non Dimmable
08.0522.14



Remote Power Supply Kit 60W. Non Dimmable
08.0524.40



Surface Kit 60W. Dali Version
08.0521.40



Remote Power Supply Kit 60W. Dali Version
08.0525.14



Remote Power Supply Kit 60W. Dali Version
08.0525.02




Remote Power Supply Kit 60W. Non Dimmable
08.0524.02




Remote Power Supply Kit 60W. Non Dimmable
08.0524.14




Remote Power Supply Kit 60W. Dali Version
08.0525.40




Surface Kit 60W. Non Dimmable
08.0520.14




Recessed Kit 60W. Non Dimmable
08.0522.02




Recessed Kit 60W. Dali Version
08.0523.14




Recessed Kit 60W. Non Dimmable
08.0522.40




Surface Kit 60W. Dali Version
08.0521.14




Recessed Kit 60W. Dali Version
08.0523.02




Surface Kit 60W. Non Dimmable
08.0520.40



Recessed Kit 60W. Dali Version
08.0523.40



Surface Kit 60W. Non Dimmable
08.0520.02



Surface Kit 60W. Dali Version
08.0521.02