

The Tracking Magnet Surface Profile Inner Mechanical Corner

06.5016.40 - Weiss

Elektromechanische Profile für Aufputzmontage oder zum Aufhängen mit einer Länge von 1 m bis 3 m.



Hauptspezifikationen

Halterungen	Oberfläche
Umgebung	Innenbeleuchtung

Elektrisch


Spannung (V)	48
Notfall	Ohne

Physikalisch

Farbe	Weiss
Gewicht (kg)	0.2
Länge (mm)	55

Note

Innenwinkel. Nur für die Surface-Ausführung.



The Tracking Magnet Surface Profile Inner Mechanical Corner



Suspension rod with 1m rose. M6
thread
60.3014.11



Suspension rod with 1m rose. M6
thread
60.3014.14



The Tracking Magnet Profile
Intermediate Connector
Flexible/Electrical Corner
08.0614.14



1 m suspension rod with ceiling rose
with m6 thread
60.3097.14



Recessed power supply rose
08.8889.14



Surface rose
08.8883.14A



The Tracking Magnet
Surface/Suspension Profile End Caps
06.5017.40



Ceiling fixing kit
08.0615.00



Surface rose
08.8883.40A



Ceiling fixing kit
08.0616.00



4-pole, 0.75 mm² section, 4-meter long,
transparent power cable
06.0157.00



Recessed power supply rose
08.8889.40



1 m suspension rod with ceiling rose
with m6 thread
60.3097.11



4m suspension steel cable
08.8634.00