



The Tracking Magnet Suspension Up&Down Profile 90° Mechanical Corner

06.5025.05 - Hochglänzendes Aluminium

Deux connexions finales de suspension incluses. Câble en acier non inclus. Pas d'éclairage sur la partie supérieure. Connexions de la partie supérieure incluses.

Elektromechanisches Profil für Deckenstrukturen.

Hauptspezifikationen

Halterungen	Aufhängung
Umgebung	Innenbeleuchtung

Elektrisch

Spannung (V)	48
Strom (mA)	35
Dimmbar	Yes
Notfall	Ohne

Physikalisch

Farbe	Hochglänzendes Aluminium
Gewicht (kg)	0.17
Länge (mm)	55

Note

Mechanischer Winkel 90°.



GWT
850°

The Tracking Magnet Suspension Up&Down Profile 90° Mechanical Corner



4m suspension steel cable
08.8634.00



Recessed power supply rose
08.8889.40



1 m suspension rod with ceiling rose
with m6 thread
60.3097.11



Recessed power supply rose
08.8889.14



Suspension rod with 1m rose. M6
thread
60.3014.11



Surface rose
08.8883.40A



The Tracking Magnet Profile
Intermediate Connector
Flexible/Electrical Corner
08.0614.14



1 m suspension rod with ceiling rose
with m6 thread
60.3097.14



Surface rose
08.8883.14A



The Tracking Magnet Suspension
Up&Down Profile End Caps
06.5026.05



Suspension rod with 1m rose. M6
thread
60.3014.14