

The Tracking Magnet Suspension Up&Down Profile 90° Mechanical Corner

06.5025.40 - Weiss

Deux connexions finales de suspension incluses. Câble en acier non inclus. Pas d'éclairage sur la partie supérieure. Connexions de la partie supérieure incluses.

Elektromechanisches Profil für Deckenstrukturen.

Hauptspezifikationen

Halterungen	Aufhängung
Umgebung	Innenbeleuchtung

Elektrisch




Spannung (V)	48
Strom (mA)	35
Dimmbar	Yes
Notfall	Ohne

Physikalisch

Farbe	Weiss
Gewicht (kg)	0.17
Länge (mm)	55

Note

Mechanischer Winkel 90°.



The Tracking Magnet Suspension Up&Down Profile 90° Mechanical Corner



1 m suspension rod with ceiling rose
with m6 thread
60.3097.11



4m suspension steel cable
08.8634.00



The Tracking Magnet Profile
Intermediate Connector
Flexible/Electrical Corner
08.0614.14



Surface rose
08.8883.14A




The Tracking Magnet Suspension
Up&Down Profile End Caps
06.5026.40



Suspension rod with 1m rose. M6
thread
60.3014.11



Recessed power supply rose
08.8889.40



Surface rose
08.8883.40A



Recessed power supply rose
08.8889.14



Suspension rod with 1m rose. M6
thread
60.3014.14



1 m suspension rod with ceiling rose
with m6 thread
60.3097.14