

Maxi Franco Street Optic Power Led Dimmable 1-10V



Pole Bracket Franco/Perseo 30 Ø 102 mm 180 mm Double
78.12



Pole Bracket Franco/Perseo 30 Ø 102 mm 180 mm Double
90.12



Pole Bracket Franco/Perseo 30 Ø 102 mm 500 mm Single
79.12



Pole Bracket Franco/Perseo 30 Ø 102 mm 500 mm Double
89.12



Pole Bracket Franco/Perseo 30 Ø 60 mm 180 mm Double
93.12



Pole Bracket Franco/Perseo 30 Ø 60 mm 180 mm Double
95.12



Pole Bracket Franco/Perseo 30 Ø 102 mm 180 mm Double
94.12



Pole Bracket Franco/Perseo 30 Ø 60 mm 500 mm Double
96.12




Pole Bracket Franco/Perseo 30 Ø 76 mm 180 mm Single
112.12




Pole Bracket Franco/Perseo 30 Ø 76
mm 180 mm Double
114.12



Pole Bracket Franco/Perseo 30 Ø 76
mm 500 mm Single
113.12



Pole Bracket Franco/Perseo 30 Ø 76
mm 500 mm Double
115.12



SPD (Surge Protection Device)
237



Pole Franco/Perseo/Dooku h 3500(with
Base) mm Ø76 mm
248.3



Pole Franco/Perseo/Dooku h 3500(with
Base) mm Ø76 mm
248.6



Pole Franco/Perseo/Dooku h 4500(with
Base) mm Ø76 mm
249.3



Pole Franco/Perseo/Dooku h 4500(with
Base) mm Ø76 mm
249.6



Pole Franco/Perseo/Dooku h 3500(+500
mm Inground) mm Ø76 mm
250.3



Pole Franco/Perseo/Dooku h 3500(+500 mm Inground) mm Ø76 mm
250.6



Pole Franco/Perseo/Dooku h 4500(+500 mm Inground) mm Ø76 mm
251.3



Pole Franco/Perseo/Dooku h 4500(+500 mm Inground) mm Ø76 mm
251.6



Pole Ø 102 mm h 4000 mm With Base
4140.3



Pole Ø 102 mm h 4000 mm With Base
4140.6



Pole Ø 102 mm h 4000(+500 mm Inground) mm
4145.3



Pole Ø 102 mm h 4000(+500 mm Inground) mm
4145.6



Pole Ø 102 mm h 5000 mm With Base
4150.3



Pole Ø 102 mm h 5000 mm With Base
4150.6



Pole Ø 102 mm h 5000(+500 mm In-ground) mm
4155.3



Pole Ø 102 mm h 5000(+500 mm In-ground) mm
4155.6



Base Plate and Fixing Bolts for Pole Ø 102 mm h 4000/5000 mm with Base
116