FLOS

Ground



Klein Pro H 900 mm Dimmable 1-10V Anodized Natural

F002B21B070.A - Natural

The body of Klein Pro bollard is made of extruded aluminium, base and diffuser in die-cast aluminium EN AB-47100 with a low copper content.

High-resistance coating: the external coating is applied with a double layer with epoxy powders according to the QUALICOAT standard. The first layer of epoxy powder gives chemical and mechanical resistance, the second finishing layer of polyester powder ensures resistance.

Also available in anodized finishes.

Main specifications

Lamp category

Klein Pro is compatible with existing "Klein" fixing plate.

LED

220-240V power supply integrated. Solid surface or ground installation accessories to be ordered separately. Each luminaire is equipped with 1000 mm lenght outgoing cable and a wiring kit.

Mountings

		Char	
		882	
	100		
	No.		
	See.		





Power (W) 11 Environment Outdoor wet location CCT (K) 2700K CRI 80 292 Net lumen (lm) Optical Lighting type Direct LED type Power LED 90' 90 Light distribution Asymmetric Optical type Asymmetric Beam angle (°) 45 λO ΚO Beam angle C90-270 (°) 20 3Ó° 343 cd 3Ò° Luminous flux luminaire 294 Im Electrical Frequency (Hz) 50-60 Emergency Without Voltage (V) 220-240 Insulation class Ш Dimmable Yes Integrated Driver Dimmable 1-10V Driver type Physical Color Natural Orientation Fixed Weight (kg) 1.95

Note

Carefully install and maintain the fixtures to avoid damaging the coating.

For LED fixtures, most problems are tied to electrical issues related to the insulation, which may cause destructive electrical discharges.


These are frequently caused by:


• power surges from the power network where fixture is connected.

• electrostatic discharge (ESD) from the environment.

We recommend installing a power-surge protection device on the fixture to reduce the intensity of these effects and prevent irreversible damages. The specific device should be chosen based on the electrical characteristics.

Klein Pro H 900 mm Dimmable 1-10V Anodized Natural









Fixing base for solid surfaces Anthracite F002Z010033.A Fixing base for solid surfaces Deep Brown F002Z010018.A



Fixing base for solid surfaces Black F002Z010030.A





Fixing base for solid surfaces White F002Z010001.A

Anodized aestetical pole screen Anodized Black F002Z050071



Anodized aestetical pole screen Anodized Natural F002Z050070